



13-2-17

STAGED NUTRIENT RELEASE (SNR®)

ANNUALS & PERENNIAL BLOOMING PLANTS



AWARDS RECEIVED FOR FLORIKAN'S FERTILIZER TECHNOLOGY



LOW P

ONE APPLICATION LASTS UP TO 6 MONTHS (ONLY 2 APPLICATIONS PER YEAR)
Una aplicación dura hasta 6 meses (solamente 2 aplicaciones por año)

CUSTOM BLENDED FOR THE FLORIDA LANDSCAPE
El costumbre mezcló para el paisaje de la Florida

LOWER N TO K RATIO FOR IMPORVED BUD SETTING AND MORE BLOOMS
baja proporción de N a K para mejor calidad de brotes y florecimientos.

RECOMMENDED CROP TYPES: ANNUALS AND PERENNIALS
cultivos recomendados: anuales y perennes

MICRONUTRIENTS FROM COATED AND UNCOATED SOURCES FOR QUICK RESPONSE AND LONG TERM VIBRANT COLOR
micronutrivos derivados de origenes con capa y sin capa para rapido respnse y larga vida de colores vibrantes.

CAUTION! KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED
This product contains Manganese Sulfate. Breathing dust may be harmful to respiratory system, nervous system, and kidneys.

GUARANTEED ANALYSIS

Total Nitrogen (N)*	13.00%
6.50% Nitrate Nitrogen	
2.95% Ammoniacal Nitrogen	
3.55% Water Soluble Nitrogen	
Available Phosphate (P ₂ O ₅)*	2.00%
Soluble Potash (K ₂ O)*	17.00%
Magnesium (Mg)*	3.00%
2.00% Water Soluble Magnesium	
Chlorine (Cl), Not More Than	1.00%
Iron (Fe)	1.09%
0.05% Chelated Iron	
0.06% Water Soluble Iron	
Manganese (Mn)	0.52%
0.01% Water Soluble Manganese	
Zinc (Zn)	0.03%
0.01% Water Soluble Zinc	

Derived from: Polymer Coated Ammonium Nitrate, Polymer Coated Urea, Polymer Coated Ammonium Phosphate, Polymer Coated Potassium Nitrate, Polymer Coated Magnesium Sulfate, Iron EDTA, Magnesium Sulfate, Iron Sulfate, Manganese Sulfate, and Zinc Sulfate
13.00 Units = Slow Release Nitrogen
2.00 Units = Slow Release Available Phosphate
17.00 Units = Slow Release Soluble Potash
2.00 Units = Slow Release Magnesium

*Up to 6 months continuous feeding at 77 degrees Fahrenheit average soil temperature.

F1130

Manufactured for Enviro-Safe Laboratories, Inc.
1579 Barber Road, Sarasota, FL 34240
800-322-8666, F: 941-377-3633

BROADCAST BED RATE (CUPS)

BROADCAST RATE	CUPS (250g=1 CUP)		
	LOW	MED	HIGH
CUPS PER 100 SQ. FT.	1/2	3/4	1

BROADCAST RATE (LBS. /1000 SQ. FT.)

POUNDS OF FERTILIZER PER 1000 SQUARE FEET			
LOW	MED	HIGH	
6 LBS.	8 LBS.	12 LBS.	-



DIRECTIONS FOR USE

THIS FLORIKAN PROFESSIONAL LANDSCAPE FERTILIZER is specially formulated for use on flowering plants.

For Ornamental and Landscape plants use a measuring spoon, or hand application. For new planting, the fertilizer may be incorporated into the soil around the plant after planting. For best results apply mulch after fertilization.

Spread fertilizer evenly on the ground around the plant.

DIRECCIONES PARA EL USO

ESTE FERTILIZANTE DE PAISAJE PROFESIONAL FLORIKAN es especialmente formulado para el uso en plantas florecientes.

Para Ornamental y plantas de Paisaje usan una cuchara de medición, o dan la aplicación. Para la nueva plantación, el fertilizante puede ser incorporado en el suelo alrededor de la planta después de la plantación. Ya que los mejores resultados aplican el pajote después de la fertilización.

Fertilizante de extensión regularmente en la tierra alrededor de la planta.

OUR RECOMMENDED BEST MANAGEMENT PRACTICES

Be analytical. Take a soil test BEFORE applying fertilizer.

Check soil pH and water quality.

Apply the minimum amount of nutrients as needed by the plant.

Use fertilizers containing low Phosphate and reduced levels of uncoated urea Nitrogen.

Minimize Nitrogen and Phosphate use in the summer rainy season.

Use a deflector shield and maintain a minimum border of 10 feet when fertilizer is applied near water bodies.

Do not apply fertilizer to impervious surfaces. Prevent from entering sewer drains.

Fertilizer applied twice per year can maintain most landscapes.

BATCH:

NET WEIGHT 50LBS (22.7KG)

ITEM: 13-2-17-180-DYN